

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 2 of 15, Revision date: 21/05/2019



Hazard pictograms

GHS07-exclam



Signal word:

Warning

Hazard and precautionary statements:

Code	Hazard statments
H319	Causes serious eye irritation
H412	Harmful to aquatic life with long lasting effects
P264	Wash ... thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to ...

2.3 Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European Chemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher ;
Adverse human health effects and symptoms:

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 3 of 15, Revision date: 21/05/2019



Section 3 : Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification according Regulation (EC) No. 1272 [CLP]	Concentration (%)	SCL	M-factor
Poly(oxy-1,2-ethanediyl), α-[4-(1,1,3,3- tetramethylbutyl)phenyl]- ω-hydroxy-	9002-93-1			Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Chronic 2 - H411 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315	< 3%		
4-(2- hydroxyethyl)piperazin-1- ylethanesulphonic acid	7365-45-9		230-907-9		< 3%		
sodium azide	26628-22-8	011-004-00-7	247-852-1	Acute toxicity - Acute Tox. 2 - H300 - Oral Hazardous to the aquatic environment - Aquatic Acute 1 - H400 Hazardous to the aquatic environment - Aquatic Chronic 1 - H410	< 1%		
potassium fluoride	7789-23-3	009-005-00-2	232-151-5	Acute toxicity - Acute Tox. 3 - H301 - Oral Acute toxicity - Acute Tox. 3 - H311 - Dermal Acute toxicity - Acute Tox. 3 - H331 - Inhalation	< 1%		

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

Section 4 : First aid measures

4.1 Description of first aid measures

General information: Do not leave affected person unattended. ;

Following inhalation: In case of respiratory tract irritation, consult a physician. ;

Following skin contact: After contact with skin, wash immediately with water ;

Following eye contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. ;

Following ingestion: Do NOT induce vomiting. ;

Self-protection of the first aider:

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: No known symptoms to date. ;

Effects:

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor:

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6DFD

Version: UK, Page 4 of 15, Revision date: 21/05/2019



Section 5 : Firefighting measures

5.1 *Extinguishing media:*

Suitable extinguishing media:This product is not flammable. Use extinguishing agent suitable for type of surrounding fire ;

5.2 *Special hazards arising from the substance or mixture*

Hazardous combustion products: /

5.3 *Advice for fire-fighters*

Wear Protective clothing. ;

Section 6 : Accidental release measures

6.1 *Personal precautions, protective equipment and emergency procedures*

Emergency procedures: Provide adequate ventilation. ;

6.2 *Environmental precautions*

Do not allow to enter into surface water or drains. ;

6.3 *Methods and material for containment and cleaning up*

For cleaning up: Suitable material for taking up: Absorbing material, organic ;

Other information:

6.4 *Reference to other sections*

Additional information:

Section 7 : Handling and storage

7.1 *Precautions for safe handling*

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes. ;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled. ;

Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice ;

7.2 *Conditions for safe storage, including any incompatibilities*

Technical measures and storage conditions:

Requirements for storage rooms and vessels: Keep container tightly closed. ;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

7.3 *Specific end uses:*

Recommendations on specific end uses: Observe technical data sheet. ;

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 5 of 15, Revision date: 21/05/2019



Section 8 : Exposure controls/personal protection

8.1 Control parameters

Preliminary remark:

8.1.1 Occupational exposure limits:

- France

Substance	EC-No.	CAS-No	VLE (mg/m3)	VLE (ppm)	VME (mg/m3)	VME (ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8	0.3		0.1	
7365-45-9 / 230-907-9	230-907-9	7365-45-9				
7789-23-3 / 232-151-5	232-151-5	7789-23-3			2.5	

- Spain

Substance	EC-No.	CAS-No	VLA-EC (mg/m3)	VLA-EC (ppm)	VLA-ED (mg/m3)	VLA-ED (ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8	0.3		0.1	
7365-45-9 / 230-907-9	230-907-9	7365-45-9				
7789-23-3 / 232-151-5	232-151-5	7789-23-3				

- Germany

Substance	EC-No.	CAS-No	AGW (mg/m3)	AGW (ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8		0.2
7365-45-9 / 230-907-9	230-907-9	7365-45-9		
7789-23-3 / 232-151-5	232-151-5	7789-23-3		

- Italia

- Greece

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)



Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6DFD

Version: UK, Page 6 of 15, Revision date: 21/05/2019

- UK
- OSHA (USA)

Source : Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000						
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)
26628-22-8 / 247-852-1	247-852-1	26628-22-8				
7365-45-9 / 230-907-9	230-907-9	7365-45-9				
7789-23-3 / 232-151-5	232-151-5	7789-23-3				

8.1.2 Biological limit values (Germany):

Source : List of recommended health-based biological limit values (BLVs) and biological guidance values (BGVs), June 2014				
Substance	EC-No.	CAS-No	BLV (mg/m3)	BLV (ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8		
7365-45-9 / 230-907-9	230-907-9	7365-45-9		
7789-23-3 / 232-151-5	232-151-5	7789-23-3		

8.1.3 Exposure limits at intended use (Germany):

Source : TRGS 903, November 2015, BAuA				
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)
26628-22-8 / 247-852-1	247-852-1	26628-22-8		
7365-45-9 / 230-907-9	230-907-9	7365-45-9		
7789-23-3 / 232-151-5	232-151-5	7789-23-3		

8.1.4 DNEL/PNEC-values:

- DNEL worker

Source : GESTIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	Acute – inhalation, systemic effects (mg/m3)	Long-term – inhalation, local effects (mg/m3)	Long-term – inhalation, systemic effects (mg/m3)
26628-22-8 / 247-852-1	247-852-1	26628-22-8							

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)



Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 8 of 15, Revision date: 21/05/2019

PNEC remark:

Control parameters remark:

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

8.2.2 Personal protective equipment:

Eye / Face protection: Safety glasses with side-shields;

Skin protection: Gloves ;

Respiratory protection: Ensure adequate ventilation ;

Thermal hazards:

8.2.3 Environmental exposure controls:

Section 9 : Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	Liquid ;
Colour	Colorless ;
Odour	
Odour threshold (ppm)	

	Value	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
pH	7					
Melting point (°C)						
Freezing point (°C)						
Initial boiling point/boiling range (°C)						
Flash point (°C)						
Evaporation rate (kg/m ² /h)						
Flammability (type :) (%)						
Upper/lower flammability or explosive limits	Upper explosive limit (%)					
	Lower explosive limit (%)					
Vapour pressure (kPa)						
Vapour density (g/cm ³)						
Densities	Density (g/cm ³)					
	Relative density (g/cm ³)					
	Bulk density (g/cm ³)					
	Critical density (g/cm ³)					
Solubility (Type :) (g/L)						
Partition coefficient (log Pow) n-octanol/water at pH :						
Auto-ignition temperature (°C)						
Decomposition temperature (°C) Decomposition energy : kj						
Viscosity	Viscosity, dynamic (poiseuille)					
	Viscosity, cinematic (cm ² /s)					
Oxidising properties						
Explosive properties						

9.2 Other information:

No other relevant data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 9 of 15, Revision date: 21/05/2019



Section 10 : Stability and reactivity

10.1 Reactivity This material is considered to be non-reactive under normal use conditions. ;

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid:

10.5 Incompatible materials:

10.6 Hazardous decomposition products:

Does not decompose when used for intended uses. ;

Section 11 : Toxicological information

Toxicokinetics, metabolism and distribution

11.1 Information on toxicological effects

Substances

- **Acute toxicity**

Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
9002-93-1	1800-1800	Rat			

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:

- **Skin corrosion/irritation**

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1						

In-vitro skin test method:

In-vitro skin test result:

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 10 of 15, Revision date: 21/05/2019



Assessment / Classification:

- **Eye damage/irritation**

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1	Rabbit			Eye irritation		

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - Germ cell mutagenicity:

Animal data:

Assessment / Classification:

- Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

- Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- **Specific target organ toxicity (single exposure)**
 - STOT SE 1 and 2

Animal data:

Other information:

- STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

- **Specific target organ toxicity (repeated exposure)**

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)



Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 11 of 15, Revision date: 21/05/2019

Practical experience / human evidence:

Animal data:

Assessment / Classification:

Other information

- **Aspiration hazard**

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

11.1.1 Mixtures

No toxicological information is available for the mixture itself

Section 12 : Ecological information

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

12.1 Aquatic toxicity:

Acute (short-term) fish toxicity

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	LC50 (mg/L)	EC50 (mg/L)	Test duration	Species	Result/Evaluation	Method	Remark	General Remark
9002-93-1		9002-93-1	8.9		96	Pimephales promelas (fathead minnow)				

Chronic (long-term) fish toxicity

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012								
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark	
9002-93-1		9002-93-1							

Acute (short-term) toxicity to crustacea

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012								
Substance	EC-No.	CAS-No	EC50 (mg/L)	Test duration	Species	Result/Evaluation	Method	Remark	General Remark
9002-93-1		9002-93-1	26	48					

Chronic (long-term) toxicity to crustacea

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012								
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark	
9002-93-1		9002-93-1							

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 14 of 15, Revision date: 21/05/2019



Inland waterway transport (ADN)

Classification Code ADN:

Limited quantities ADN:

Carriage permitted:

Provisions concerning loading and unloading:

Number of blue cones/lights:

Special Provisions ADN:

Excepted quantities ADN:

Equipment required:

Provisions concerning carriage:

Remark:

Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA:

Excepted quantity for IATA:

Passenger and Cargo Aircraft Limited Quantities Packing Instructions:

Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity :

Passenger and Cargo Aircraft Packaging Instructions :

Passenger and Cargo Aircraft Maximal Net Quantity :

Cargo Aircraft only Packaging Instructions :

Cargo Aircraft only Maximal Net Quantity :

ERG code:

Special Provisions for IATA:

Section 15 : Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

- Authorisations and/or restrictions on use:

Authorisations: 9002-93-1

Restrictions on use:

SVHC :9002-93-1

- Other EU regulations:
- Directive 2010/75/EC on industrial emissions

Not relevant

National regulations

15.2 Chemical Safety Assessment:

For this mixture, no chemical safety assessment has been carried out

Section 16 : Other information

16.1 Indication of changes

Date of the previous version: 03/05/2019

Modifications:

16.2 Other informations

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)

Designation / Commercial name : Lysis & Detection Buffer 6 - 200 ml 62CL6FDF

Version: UK, Page 15 of 15, Revision date: 21/05/2019



16.3 Classification for mixtures and used evaluation method according to regulation (EC) 1207/2008 [CLP]:

See SECTION 2.1 (classification).

16.4 Relevant R-, H- and EUH-phrases (number and full text):

Code	Hazard statments
H300	Fatal if swallowed
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage.
H331	Toxic if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects