



## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA  
Version: US, Page 2 of 13, Revision date: 31/03/2022

---

Hazard pictograms

Signal word:

Hazard and precautionary statements:

### **2.3 Other hazards**

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) published by the European Chemicals Agency (ECHA) under article 57 of REACH at levels of 0.1% or higher. This substance or mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher ;

Adverse human health effects:

## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTD A

Version: US, Page 3 of 13, Revision date: 31/03/2022

### Section 3 : Composition/information on ingredients

#### 3.2 Mixtures

Hazardous ingredients:

Substance name	CAS n°	Index n°	EC n°	Classification in accordance with 29 CFR 1910 (OSHA HCS)	Concentration (%)	SCL	M-factor
disodium dihydrogenpyrophosphate	7758-16-9		231-835-0	Serious eye damage/eye irritation - Eye Irrit. 2 - H319			
4-(2-hydroxyethyl)piperazin-1-ylethanesulphonic acid	7365-45-9		230-907-9				
Ethylenediamine-N,N,N1,N1-tetraacetic acid	6381-92-6			Acute toxicity - Acute Tox. 4 - H332 - Inhalation Specific target organ toxicity - repeated exposure - STOT RE 2 - H373			
trisodium tetraoxovanadate	13721-39-6		237-287-9	Acute toxicity - Acute Tox. 4 - H302 - Oral			
Poly(oxy-1,2-ethanediyl), $\alpha$ -[4-(1,1,3,3-tetramethylbutyl)phenyl]- $\omega$ -hydroxy-	9002-93-1			Acute toxicity - Acute Tox. 4 - H302 - Oral Hazardous to the aquatic environment - Aquatic Chronic 2 - H411 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315			
CBB Substance	NOCAS4			Acute toxicity - Acute Tox. 4 - H302 - Oral Acute toxicity - Acute Tox. 4 - H332 - Inhalation Hazardous to the aquatic environment - Aquatic Chronic 3 - H412 Serious eye damage/eye irritation - Eye Dam. 1 - H318 Skin corrosion/irritation - Skin Irrit. 2 - H315 Specific target organ toxicity - single exposure - STOT SE 3 - H335			
$\beta$ -Glycerophosphate	13408-09-8						

Additional information:

Full text of H- and EUH-phrases: see SECTION 16.

### Section 4 : First aid measures

#### 4.1 Description of first aid measures

**General information:** Do not leave affected person unattended. ;

**Following inhalation:** In case of respiratory tract irritation, consult a physician. ;

**Following skin contact:** After contact with skin, wash immediately with water ;

**Following eye contact:** After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. ;

**Following ingestion:** Do NOT induce vomiting. ;

## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 4 of 13, Revision date: 31/03/2022

---

### Self-protection of the first aider:

#### 4.2 *Most important symptoms and effects, both acute and delayed*

Symptoms: No known symptoms to date. ;

Effects:

#### 4.3 *Indication of any immediate medical attention and special treatment needed*

Notes for the doctor:

## Section 5 : Firefighting measures

### 5.1 *Extinguishing media:*

Suitable extinguishing media: This product is not flammable. Use extinguishing agent suitable for type of surrounding fire ;

### 5.2 *Special hazards arising from the substance or mixture*

Hazardous combustion products: /

### 5.3 *Advice for fire-fighters*

Wear Protective clothing. ;

Additional information:

## Section 6 : Accidental release measures

### 6.1 *Personal precautions, protective equipment and emergency procedures*

Emergency procedures: Provide adequate ventilation. ;

### 6.2 *Environmental precautions*

Do not allow to enter into surface water or drains. ;

### 6.3 *Methods and material for containment and cleaning up*

For cleaning up: Suitable material for taking up: Absorbing material, organic ;

Other information:

### 6.4 *Reference to other sections*

Additional information:

## Section 7 : Handling and storage

### 7.1 *Precautions for safe handling*

Protective measures:

Advice on safe handling: Avoid contact with skin, eyes and clothes. ;

Fire preventions:

Do not eat, drink or smoke in areas where reagents are handled. ;

# Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 5 of 13, Revision date: 31/03/2022

Advice on general occupational hygiene: Handle in accordance with good industrial hygiene and safety practice ;

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep container tightly closed. ;

Hints on storage assembly:

Materials to avoid:

Further information on storage conditions:

## 7.3 Specific end uses:

Recommendations on specific end uses: Observe technical data sheet. ;

# Section 8 : Exposure controls/personal protection

## 8.1 Control parameters

Preliminary remark:

### 8.1.1 Occupational exposure limits:

- OSHA (USA)

Source : Occupational Safety and Health Administration (OSHA) Permissible Exposure Limits (PELS) from 29 CFR 1910.1000						
Substance	EC-No.	CAS-No	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (ppm)	OSHA Permissible Exposure Limit (PEL) 8-hour TWA (mg/m3)	OSHA Permissible Exposure Limit (PEL) STEL (ppm)	OSHA Permissible Exposure Limit (PEL) STEL (mg/m3)
7365-45-9 / 230-907-9	230-907-9	7365-45-9				
7758-16-9 / 231-835-0	231-835-0	7758-16-9				

Source : TRGS 903, November 2015, BAuA				
Substance	EC-No.	CAS-No	BGW (mg/m3)	BGW (ppm)
7365-45-9 / 230-907-9	230-907-9	7365-45-9		
7758-16-9 / 231-835-0	231-835-0	7758-16-9		

### 8.1.2 DNEL/PNEC-values:

- DNEL worker

Source : GESTIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	Acute – inhalation, systemic effects (mg/m3)	Long-term – inhalation, local effects (mg/m3)	Long-term – inhalation, systemic effects (mg/m3)
7365-45-9 / 230-907-9	230-907-9	7365-45-9					23.5-23.5		
7758-16-9 / 231-835-0	231-835-0	7758-16-9					2.79-2.79		

# Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 6 of 13, Revision date: 31/03/2022

- DNEL consumer

Source : GESTIS – substance database									
Substance	EC-No.	CAS-No	Acute – dermal, local effects (mg/kg/day)	Long-term – dermal, local effects (mg/kg/day)	Long-term – dermal, systemic effects (mg/kg/day)	Acute – inhalation, local effects (mg/m3)	Acute – inhalation, systemic effects (mg/m3)	Long-term – inhalation, local effects (mg/m3)	Long-term – inhalation, systemic effects (mg/m3)
7365-45-9 / 230-907-9	230-907-9	7365-45-9							
7758-16-9 / 231-835-0	231-835-0	7758-16-9							

- PNEC

Source : INERIS																
Substance	EC-No.	CAS-No	PNEC AQUATIC									PNEC Sediment				
			freshwater			marine water			intermittent release			freshwater			marine water	
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)
7365-45-9 / 230-907-9	230-907-9	7365-45-9														
7758-16-9 / 231-835-0	231-835-0	7758-16-9														

Source : INERIS														
Substance	EC-No.	CAS-No	Others											
			PNEC soil			PNEC sewage treatment plant			PNEC air			PNEC secondary poisoning		
			(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)	(mg/L)	(mg/kg)	(ppm)
7365-45-9 / 230-907-9	230-907-9	7365-45-9												
7758-16-9 / 231-835-0	231-835-0	7758-16-9												

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls:

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7

### 8.2.2 Personal protective equipment:

Eye / Face protection: Safety glasses with side-shields ;

Skin protection: Gloves ;

Respiratory protection: Ensure adequate ventilation ;

Thermal hazards:

# Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 7 of 13, Revision date: 31/03/2022

## 8.2.3 Environmental exposure controls:

Consumer exposure control

Measures related to consumer uses of the substance (as such or in mixtures):

Measures related to the service life of the substance in articles:

## Section 9 : Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	Solid ;
Colour	White ;
Odour	
Odour threshold (ppm)	

	Value	Concentration (mol/L)	Method	Temperature (°C)	Pressure (kPa)	Remark
pH						
Melting point (°C)						
Freezing point (°C)						
Initial boiling point/boiling range (°C)						
Flash point (°C)						
Evaporation rate (kg/m <sup>2</sup> /h)						
Flammability (type : ) (%)						
Upper/lower flammability or explosive limits	Upper explosive limit (%)					
	Lower explosive limit (%)					
Vapour pressure (kPa)						
Vapour density (g/cm <sup>3</sup> )						
Densities	Density (g/cm <sup>3</sup> )					
	Relative density (g/cm <sup>3</sup> )					
	Bulk density (g/cm <sup>3</sup> )					
	Critical density (g/cm <sup>3</sup> )					
Solubility (Type : ) (g/L)						
Partition coefficient (log Pow) n-octanol/water at pH :						
Auto-ignition temperature (°C)						
Decomposition temperature (°C) Decomposition energy : kJ						
Viscosity	Viscosity, dynamic (poiseuille)					
	Viscosity, cinematic (cm <sup>2</sup> /s)					
Explosive properties						
Oxidising properties						

### 9.2 Other information:

No other relevant data available

## Section 10 : Stability and reactivity

### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions. ;

### 10.2 Chemical stability

## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 8 of 13, Revision date: 31/03/2022

### 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid:

### 10.5 Incompatible materials:

### 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses. ;

## Section 11 : Toxicological information

Toxicokinetics, metabolism and distribution

### 11.1 Information on toxicological effects

#### Substances

- **Acute toxicity**

#### Animal data:

Acute oral toxicity:

Substance name	LD50 (mg/kg)	Species	Method	Symptoms / delayed effects	Remark
9002-93-1	1800-1800	Rat			

Acute dermal toxicity:

Acute inhalative toxicity:

Practical experience / human evidence:

Assessment / Classification:

General Remark:

- **Skin corrosion/irritation**

#### Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
9002-93-1						

In-vitro skin test method:

In-vitro skin test result:

Assessment / Classification:



## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 9 of 13, Revision date: 31/03/2022

---

- **Eye damage/irritation**

Animal data:

Substance name	Species	Method	Exposure time	Result/evaluation	Score	Remark
7758-16-9 / 231-835-0	Rabbit	OECD 405		Eye irritation		
9002-93-1	Rabbit			Eye irritation		

In vitro eye test method:

In vitro eye test result:

Assessment / Classification:

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- Germ cell mutagenicity:

Animal data:

Assessment / Classification:

- Carcinogenicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

- Reproductive toxicity

Practical experience / human evidence:

Animal data:

Other information:

Assessment / Classification:

Overall assessment on CMR properties:

- **Specific target organ toxicity (single exposure)**

- STOT SE 1 and 2

Animal data:

Other information:

- STOT SE 3

Practical experience / human evidence:

Other information:

Assessment / Classification:

- **Specific target organ toxicity (repeated exposure)**

Practical experience / human evidence:

## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 10 of 13, Revision date: 31/03/2022

Animal data:

Assessment / Classification:

Other information

- **Aspiration hazard**

Practical experience / human evidence:

Experimental data: viscosity data: see SECTION 9.

Assessment / Classification:

Remark:

### 11.1.1 Mixtures

No toxicological information is available for the mixture itself

## Section 12 : Ecological information

In case that test data regarding one endpoint/differentiation exist for the mixture itself, the classification is carried out according to the substance criteria (excluding biodegradation and bioaccumulation). If no test data exist, the criteria for mixture classification has to be used (calculation method) in this case the toxicological data of the ingredients are shown.

### 12.1 Aquatic toxicity:

#### Acute (short-term) fish toxicity

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	LC50 (mg/L)	EC50 (mg/L)	Test duration	Species	Result/Evaluation	Method	Remark	General Remark
9002-93-1		9002-93-1	8,9		96	Pimephales promelas (fathead minnow)				

#### Chronic (long-term) fish toxicity

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark		
9002-93-1		9002-93-1								

#### Acute (short-term) toxicity to crustacea

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	EC50 (mg/L)	Test duration	Species	Result/Evaluation	Method	Remark	General Remark	
9002-93-1		9002-93-1	26	48						

#### Chronic (long-term) toxicity to crustacea

Source :	Informations relatives à la réglementation VME (France) : ED 984, 07.2012									
Substance	EC-No.	CAS-No	NOEC (mg/L)	Test duration	Species	Method	Remark	General Remark		
9002-93-1		9002-93-1								



## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTDA

Version: US, Page 12 of 13, Revision date: 31/03/2022

### 12.5 Results of PBT and vPvB assessment

### 12.6 Other adverse effects:

Additional ecotoxicological information:

## Section 13 : Disposal considerations

### 13.1 Waste treatment methods

Waste treatment options:

Dispose of waste according to applicable legislation. ;

Other disposal recommendations:

Additional information:

## Section 14 : Transport information

### ADR/RID/AND/IMDG/IATA

UN No.	
UN Proper shipping name	
Transport hazard class(es)	
Hazard label(s)	
Packing group	

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Land transport (ADR/RID)

Classification code ADR:

Special Provisions for ADR/RID:

Limited quantities for ADR/RID:

Excepted Quantities for ADR/RID:

Packing Instructions for ADR/RID:

Special packing provisions for ADR/RID:

Mixed packing provisions:

Portable tanks and bulk containers Instructions:

Portable tanks and bulk containers Special Provisions:

ADR Tank Code:

ADR Tank special provisions:

Vehicle for tank carriage:

Special provisions for carriage Packages:

Special provisions for carriage Bulk:

Special provisions for carriage for loading, unloading and handling:

Special Provisions for carriage Operation:

Hazard identification No:

Transport category (Tunnel restriction code):

#### Sea transport (IMDG)

Marine Pollutant:

Subsidiary risk(s) for IMDG:

Packing provisions for IMDG:

Limited quantities for IMDG:

Packing instructions for IMDG:

IBC Instructions:

IBC Provisions:

IMO tank instructions:

UN tank instructions:

Tanks and bulk Provisions:

EmS :

Stowage and segregation for IMDG:

Properties and observations:

#### Inland waterway transport (ADN)

Classification Code ADN:

Special Provisions ADN:

## Safety Data Sheet

according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g))



Designation / Trade name: HTRF ERK p-T202/Y204 kit - Ctrl lysate 62ERKTD A

Version: US, Page 13 of 13, Revision date: 31/03/2022

---

Limited quantities ADN:	Excepted quantities ADN:
Carriage permitted:	Equipment required:
Provisions concerning loading and unloading:	
Provisions concerning carriage:	Number of blue cones/lights:
Remark:	

### Air transport (ICAO-TI / IATA-DGR)

Subsidiary risk for IATA:	Excepted quantity for IATA:
Passenger and Cargo Aircraft Limited Quantities Packing Instructions:	
Passenger and Cargo Aircraft Limited Quantities Maximal Net Quantity :	
Passenger and Cargo Aircraft Packaging Instructions :	
Passenger and Cargo Aircraft Maximal Net Quantity :	
Cargo Aircraft only Packaging Instructions :	
Cargo Aircraft only Maximal Net Quantity :	
ERG code:	Special Provisions for IATA:

## Section 15 : Regulatory information

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

### **15.2 Chemical Safety Assessment:**

For the following substances of this mixture a chemical safety assessment has been carried out :

## Section 16 : Other information

### **16.1 Indication of changes**

Date of the previous version:17/03/2022

Modifications:

### **16.2 Abbreviations and acronyms:**

### **16.3 Key literature references and sources for data**

### **16.4 Classification for mixtures and used evaluation method according to Hazard Communication Standard (HCS) (29 CFR 1910.1200(g):**

See SECTION 2.1 (classification).

### **16.5 Relevant R-, H- and EUH-phrases (number and full text):**

Code	Hazard statments
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage.
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects